



GUM REMOVER

HMIS		NFPA	Personal protective equipment
Health	1	1	None / Aucune / Ninguno
Flammability	4	4	
Physical Hazard / Instability	0	0	

Version Number: 0

Preparation date: 2011-06-02

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: GUM REMOVER

MSDS #: MS0300922

Product Code: 5628817

Recommended use: Carpet Care.

Manufacturer, importer, supplier:

US Headquarters

Diversey, Inc.

8310 16th St.

Sturtevant, Wisconsin 53177-1964

Phone: 1-888-352-2249

MSDS Internet Address: www.diversey.com

Emergency telephone number: 1-888-660-6737

Canadian Headquarters

Diversey, Inc. - Canada

2401 Bristol Circle

Oakville, Ontario L6H 6P1

Phone: 1-800-668-3131

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION. MAY BE MILDLY IRRITATING TO EYES. MAY BE MILDLY IRRITATING TO SKIN.

Principal routes of exposure:

Eye contact. Skin contact. Inhalation.

Eye contact:

May be mildly irritating to eyes.

Skin contact:

May be mildly irritating to skin.

Inhalation:

None

Ingestion:

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS #	Weight %	LD50 Oral - Rat (mg/kg)	LD50 Dermal - Rabbit	LC50 Inhalation - Rat
Ethyl alcohol	64-17-5	10 - 20%	7060	Not available	124.7 mg/L (4 h)
Butane	106-97-8	60 - 70%	2000	Not available	658 mg/L (4 h)
Propane	74-98-6	30 - 40%	2400	Not available	658 mg/L (4 h)

4. FIRST AID MEASURES

Eye contact:

Flush immediately with plenty of water. If irritation develops, get medical attention.

Skin contact:

Flush immediately with plenty of water. If irritation develops, get medical attention.

Inhalation:

No specific first aid measures are required.

Ingestion:

No specific first aid measures are required.

Aggravated Medical Conditions:

None known

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:

Not applicable

Specific hazards:

Aerosol product - Containers may rocket or explode in heat of fire. Keep product and empty container away from heat and sources of ignition. NFPA 30B Level 3 Aerosol.

Unusual hazards: None known
Specific methods: Aerosol Product - Containers may rocket or explode in heat of fire.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear
Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment
Environmental precautions: No information available
and clean-up methods:

7. HANDLING AND STORAGE

Handling:
Avoid contact with skin and eyes. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:
Protect from freezing. Keep tightly closed in a dry, cool and well-ventilated place. KEEP OUT OF REACH OF CHILDREN.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
No special ventilation requirements General room ventilation is adequate

Personal Protective Equipment

Eye protection: No special requirements under normal use conditions.
Hand protection: No special requirements under normal use conditions
Skin and body protection: No special requirements under normal use conditions.
Respiratory protection: No special requirements under normal use conditions.
Hygiene measures: Handle in accordance with good industrial hygiene and safety practice.

Ingredient(s)	CAS #	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	1000 ppm (STEL)	1000 ppm (TWA) 1900 mg/m ³ (TWA)	1000 ppm (TWA) 1900 mg/m ³ (TWA)
Butane	106-97-8	1000 ppm (TWA)		800 ppm (TWA) 1900 mg/m ³ (TWA)
Propane	74-98-6	1000 ppm (TWA)	1000 ppm (TWA) 1800 mg/m ³ (TWA)	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Aerosol
Appearance: Aerosol
Specific gravity: 0.5700
Vapor density: No information available
Boiling point/range: Not determined
Decomposition temperature: Not determined
Solubility: Partially Soluble
Solubility in other solvents: No information available
Partition coefficient (n-octanol/water): No information available
Elemental Phosphorus: 0 % by wt.
pH: No information available
Explosion limits: - upper: Not determined - lower: Not determined

Bulk density: No information available
Evaporation Rate: No information available
Color: Clear Colorless
Odor: Cherry
Melting point/range: Not determined
Autoignition temperature: No information available
Density: 4.75 lbs/gal 0.57 Kg/L
Flash point: 55 °F 12.8 °C
Viscosity: No information available
VOC: 99.98 % *
Dilution pH: No information available.

* - Title 17, California Code of Regulations, Division 3, Chapter 1, Subchapter 8.5, Article 2, Consumer Products, Sections 94508

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerization does not occur
Hazardous decomposition products: None reasonably foreseeable.

11. TOXICOLOGICAL INFORMATION

Acute toxicity: Oral LD50 estimated to be greater than 5000 mg/kg; Dermal LD50 estimated to be > 2000 mg/kg
Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects:	None known
Mutagenic effects:	None known
Reproductive toxicity:	None known
Target organ effects:	None known

12. ECOLOGICAL INFORMATION

Environmental Information: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:
Dispose of according to all federal, state and local applicable regulations.

14. TRANSPORT INFORMATION

DOT/TDG/IMDG: Please refer to the Diversey HazMat Library, <http://naextranet.diversey.com/dot/>, for up to date shipping information.

DOT Bill of Lading Description: LTD. QTY.

IMDG Bill of Lading Description: UN1950, AEROSOLS, 2.1, LTD. QTY.

15. REGULATORY INFORMATION

International Inventories at CAS# Level

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

RIGHT TO KNOW (RTK)

Ingredient(s)	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:
Ethyl alcohol	64-17-5	X	X	X	-
Butane	106-97-8	X	X	X	-
Propane	74-98-6	X	X	X	-

CERCLA/ SARA

SARA 311/312 Hazard Categories

Immediate:	-
Delayed:	-
Fire:	X
Reactivity:	-
Sudden Release of Pressure:	X

Canada

WHMIS hazard class: A Compressed gases, B5 Flammable aerosol.



16 OTHER INFORMATION

Reason for revision:

Not applicable

Prepared by:

NAPRAC

Additional advice:

• Contains an added fragrance, see "Odor" heading in section 9 for specific description

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.